




REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
01	Released	1/13/15	PH
02	Added C'Bore	3/16/15	PH
03	1.7 hole was clearance for 0-80, position tolerance was .15	5/6/15	PH
04	Changed part number to FAB-0021	5/12/15	JE



NOTES:

1. OUTER SURFACES ARE TO HAVE A COSMETIC FINISH, FREE OF STRATCHES AND TOOLING MARKS.

MATERIAL:	UNLESS OTHERWISE STATED	DRAWN BY Hammond		DATE 12/31/2014		LIGHTFORCE TECHNOLOGY, INC. Rochester, NY			
Aluminum 6061-T6	DIMENSIONS ARE IN MM .X ±.20 .XX ±.10 .XXX ±.050	CHECKED Enslin		DATE 1/13/2015		PRODUCT NAME			
FINISH:	ANGLES ± 1° SURF ROUGHNESS 16✓ EDGE BREAKS .50 X 45° CHAMFER THREADS 45° TO ROOT DIAMETER	APPROVED Enslin		DATE 1/13/2015		PART NAME Lens Holder, M10 x P.30			
Anodize, Black, MIL-A-8625 Type II, Class 2		SCALE		SHEET No. 1 OF 1		DWG SIZE	D	PART NO. FAB-0021	REV 04
This document is the exclusive property of Lightforce Technology, Inc. and may not be reproduced in any form without written permission of Lightforce Technology, Inc.									

Plot Date: 5/12/2015